



AIM-LOK

**Architectural Integrated Metals Inc
1724 Northside Industrial Blvd.
Columbus, GA 31904**

**Phone: (706) 660-1877
Toll Free: (866) 292-4246
Fax: (706) 660-1474**

www.ai-metals.com



TABLE OF CONTENTS

1.) AIM-LOK

Aim-Lok Panel Pricing.....	(p.2)
Aim-Lok Panel Coverage	(p.3)

2.) LIGHT GAUGE SUB-STRUCTURAL

Hat Sections.....	(p.4)
Angles, Eave Support Plates	(p.5)

3.) ACCESSORIES

Utility, Fixed, & Floating Clips	(p.6)
Closures, Back Up Plate, & Thermal Block.....	(p.7)
Mastic, Sealant, & Seaming Tools	(p.8)
Fasteners	(p.9,10)
Angle Clips, Bearing Plate, Utility Clip	(p.11)

2.) FLASHING

Aim-Lok Flashing	(p.12-20)
------------------------	-----------






AIM-LOK PANEL



AIM (AIM-LOK™)

Standing Seam Roof Systems Pricing Catalog



STRIATED PANEL

GAUGE	NET GIRT	YIELD P.S.I.	WEIGHT Per Lf.	FINISH	PRICE PER LINEAR	
					0-10,000	OVER 10,000
24	16"	50,000	172	Galvalume Plus	2.78	2.53
24	16"	50,000	172	Prism 3000	4.10	3.73
24	16"	50,000	172	Prism 3000 Metallic	Please Inquire	

See Prism 2000 & 3000 color chart for available colors.
Some colors may require a minimum quantity (please inquire).

Prism is a registered Trademark of Architectural Integrated metals, Inc. & GALVALUME PLUS is a registered and protected Trademark of BIEC International, Inc.

Panel Pricing:

1. All panel pricing is based on net coverage
2. For panel lengths less than five feet a cut charge will apply, please inquire.
3. AIM (Triple-Lok) & AIM (Quad-Lok) requires Aim panel Seamer to field form panel side laps (Please Inquire).
4. Panels must be specified as no end laps (no swaged end) or as eave, mid, or peak panel with swaged end for panel laps.

Packaging Cost:

1. Maximum 20 sheets per (AIM-Lok) bundle.
2. Standard packaging **\$1.35 per linear foot of bundle**
3. LTL shipments require plywood crating **Special Order – Inquire for price.**
4. Special Packaging..... **Please Inquire.**

Note:

1. Delivery: 24 gauge - Standard PRISM 3000 non metallic colors.....**approximately 10 working days.**
All other available gauges and colors.....**approximately 3-5 weeks**
2. All panels have factory applied sealant.
3. Panels over 50'-0" may require additional freight charge, please inquire.
4. **OIL CANNING IS NOT A CAUSE FOR REJECTION.** AIM standard will include striations, if non-striated Panels are required, customer must specify in writing on order, and sign a waiver regarding Oil Canning.





AIM (AIM-LOK™)

Aim-Lok Panel Coverage

	Amount of Square feet per panel											
	0 in.	1 in.	2 in.	3 in.	4 in.	5 in.	6 in.	7 in.	8 in.	9 in.	10 in.	11 in.
1 ft.	1.33	1.44	1.56	1.67	1.78	1.89	2.00	2.11	2.22	2.33	2.44	2.56
2 ft.	2.67	2.78	2.89	3.00	3.11	3.22	3.33	3.44	3.56	3.67	3.78	3.89
3 ft.	4.00	4.11	4.22	4.33	4.44	4.56	4.67	4.78	4.89	5.00	5.11	5.22
4 ft.	5.33	5.44	5.56	5.67	5.78	5.89	6.00	6.11	6.22	6.33	6.44	6.56
5 ft.	6.67	6.78	6.89	7.00	7.11	7.22	7.33	7.44	7.56	7.67	7.78	7.89
6 ft.	8.00	8.11	8.22	8.33	8.44	8.56	8.67	8.78	8.89	9.00	9.11	9.22
7 ft.	9.33	9.44	9.56	9.67	9.78	9.89	10.00	10.11	10.22	10.33	10.44	10.56
8 ft.	10.67	10.78	10.89	11.00	11.11	11.22	11.33	11.44	11.56	11.67	11.78	11.89
9 ft.	12.00	12.11	12.22	12.33	12.44	12.56	12.67	12.78	12.89	13.00	13.11	13.22
10 ft.	13.33	13.44	13.56	13.67	13.78	13.89	14.00	14.11	14.22	14.33	14.44	14.56
11 ft.	14.67	14.78	14.89	15.00	15.11	15.22	15.33	15.44	15.56	15.67	15.78	15.89
12 ft.	16.00	16.11	16.22	16.33	16.44	16.56	16.67	16.78	16.89	17.00	17.11	17.22
13 ft.	17.33	17.44	17.56	17.67	17.78	17.89	18.00	18.11	18.22	18.33	18.44	18.56
14 ft.	18.67	18.78	18.89	19.00	19.11	19.22	19.33	19.44	19.56	19.67	19.78	19.89
15 ft.	20.00	20.11	20.22	20.33	20.44	20.56	20.67	20.78	20.89	21.00	21.11	21.22
16 ft.	21.33	21.44	21.56	21.78	21.89	21.89	22.00	22.11	22.22	22.33	22.33	22.44
17 ft.	22.67	22.78	23.00	23.11	23.22	23.22	23.33	23.44	23.56	23.67	23.67	23.78
18 ft.	24.00	24.11	24.33	24.44	24.44	24.44	24.67	24.78	24.89	25.00	25.00	25.11
19 ft.	25.33	25.44	25.67	25.78	25.78	25.78	26.00	26.11	26.22	26.33	26.33	26.44
20 ft.	26.67	26.78	27.00	27.11	27.11	27.22	27.33	27.44	27.56	27.67	27.67	27.78
21 ft.	28.00	28.11	28.22	28.33	28.44	28.56	28.67	28.78	28.89	29.00	29.11	29.22
22 ft.	29.33	29.44	29.56	29.67	29.78	29.89	30.00	30.11	30.22	30.33	30.44	30.56
23 ft.	30.67	30.78	30.89	31.00	31.11	31.22	31.33	31.44	31.56	31.67	31.78	31.89
24 ft.	32.00	32.11	32.22	32.33	32.44	32.56	32.67	32.78	32.89	33.00	33.11	33.22
25 ft.	33.33	33.44	33.56	33.67	33.78	33.89	34.00	34.11	34.22	34.33	34.44	34.56
26 ft.	34.67	34.78	34.89	35.00	35.11	35.22	35.33	35.44	35.56	35.67	35.78	35.89
27 ft.	36.00	36.11	36.22	36.33	36.44	36.44	36.67	36.78	36.89	37.00	37.11	37.22
28 ft.	37.33	37.44	37.56	37.67	37.78	37.78	38.00	38.11	38.22	38.33	38.44	38.56
29 ft.	38.67	38.78	38.89	39.00	39.11	39.22	39.33	39.44	39.56	39.67	39.78	39.89
30 ft.	40.00	40.11	40.22	40.33	40.44	40.56	40.67	40.78	40.89	41.00	41.11	41.22
31 ft.	41.33	41.44	41.56	41.67	41.78	41.89	42.00	42.11	42.22	42.33	42.44	42.56
32 ft.	42.67	42.78	42.89	43.00	43.11	43.22	43.33	43.44	43.56	43.67	43.78	43.89
33 ft.	44.00	44.11	44.22	44.33	44.44	44.56	44.67	44.78	44.89	45.00	45.11	45.22
34 ft.	45.33	45.44	45.56	45.67	45.78	45.89	46.00	46.11	46.22	46.33	46.44	46.56
35 ft.	46.67	46.78	46.89	47.00	47.11	47.22	47.33	47.44	47.56	47.67	47.78	47.89
36 ft.	48.00	48.11	48.22	48.33	48.44	48.56	48.67	48.78	48.89	49.00	49.11	49.22
37 ft.	49.33	49.44	49.44	49.67	49.78	49.89	50.00	50.11	50.22	50.33	50.44	50.56
38 ft.	50.67	50.78	50.78	51.00	51.11	51.22	51.33	51.44	51.56	51.67	51.78	51.89
39 ft.	52.00	52.11	52.11	52.33	52.44	52.56	52.67	52.78	52.89	53.00	53.11	53.22
40 ft.	53.33	53.44	53.44	53.67	53.78	53.89	54.00	54.11	54.22	54.33	54.44	54.56





**LIGHT GAUGE
SUB-STRUCTURAL**

LIGHT GAUGE SUB-STRUCTURAL



ITEM	DESCRIPTION					PRICE PER PIECE		
	PART NUMBER	GAUGE	FINISH	WT/FT	LENGTH	1-5	6-10	OVER 10
Hat Section 18 ga. 	HS-18-1	18	Galvanized	1.10#	10'-0"	47.82	45.54	43.38
	Hat Section 18 ga. 	HS18-1.5	18	Galvanized	9.4#	10'-0"	47.82	41.49
Hat Section 16 ga. 		HS16-20	16	Red Oxide	40.41#	20'-0"	71.31	67.91

NOTE: Other Sizes and Gauges available - Please Inquire


NOTES:

1. Consult the LIGHT GAUGE STRUCTURAL INSTITUTE (LGSI) for engineering information.
2. Please call for galvanized sub-structural availability.
3. Parts shorter than 5'-0" are as priced min 5'-0".







LIGHT GAUGE SUB-STRUCTURAL

ITEM	PART #	SIZE	GAUGE	FINISH	WT/FT	LENGTH	PRICE PER PIECE		
							0-5	6-10	OVER 10
 ANGLES	SA2x416	2 x 4	16	Red Oxide	1.11 #	20'-0"	38.15	36.33	35.20
	SA2x414	2 x 4	14	Red Oxide	1.37 #	20'-0"	46.75	44.52	42.40
	SA3 x 316	3 x 3	16	Red Oxide	1.11 #	20'-0"	38.15	36.33	35.20
	SA3 x 314	3 x 3	14	Red Oxide	1.37 #	20'-0"	46.75	44.52	42.40
	GA-1	4 x 6	16	Red Oxide	1.89 #	20'-0"	64.80	61.80	58.80
	GA-2	2 x 3	16	Red Oxide	.96 #	20'-0"	32.16	30.66	29.20
	GA-4	3 x 9	16	Red Oxide	2.23 #	20'-0"	77.80	74.00	70.46
	GA-5	3 x 11	16	Red Oxide	2.61 #	20'-0"	91.20	86.80	82.60
	RSA-1	1 x 5	16	Red Oxide	1.11 #	20'-0"	38.15	36.33	35.20

NOTE: Other Sizes and Gauges available - Please Inquire

NOTES:

1. Consult the LIGHT GAGE STRUCTURAL INSTITUTE (LGSI) for engineering information.
2. Please call for galvanized sub-structural availability.
3. Parts shorter than 5'-0" are as priced min 5'-0".

ITEM	DESCRIPTION					PRICE PER PIECE		
	PART NUMBER	WEIGHT	LENGTH	FINISH	GIRTH	0-5	6-10	OVER 10
Eave Support Plate 	ESP-1	10.75	10'-2"	Galvanized	6 1/4"	20.56	19.59	18.66
Eave Support Plate With Thermal Blocks 	ESP-1T	10.75	10'-0"	Galvanized	6 1/4"	20.56	19.59	18.66










ACCESSORIES

ACCESSORIES







ITEM	DESCRIPTION			PRICE PER PIECE		
	PART NUMBER	WEIGHT LBS.	GAUGE	0 - 600	601 - 2500	OVER 2500
Utility Clip  Galvanized	ALFC-1	0.16	16	1.02	.93	.81
	Low Fixed Clip  Galvanized	ALFC-2	0.13	18	.90	.82
High Fixed Clip  Galvanized		ALFC-3	0.16	18	1.27	1.16
	Low Floating Clip  Galvanized	ALMC-1	0.24	18	1.57	1.43
High Floating Clip  Galvanized		ALMC-2	0.28	18	1.70	1.55





ACCESSORIES

ITEM	DESCRIPTION				PRICE PER PIECE		
	PART NUMBER	WEIGHT LBS.	GAUGE		0 - 600	601 - 2500	OVER 2500
Back Up Plate 	ALBUP-1	1.39	18		4.86	4.63	4.41
	Thermal Block 						
	PART NUMBER	WEIGHT LBS.	THICKNESS	LENGTH	0 - 600	601 - 2500	OVER 2500
	FS-1 TB-2	0.040 0.050	3/8" 1"	16" 16"	.31 .62	.27 .54	.24 .47
Outside Closure 	PART NUMBER	WEIGHT LBS.	FINISH	GAUGE	0 - 200	201 - 500	OVER 500
	ALCL-O	0.74	Galvalume Painted	16 20	4.05 5.87	3.69 5.34	3.21 4.65
Galvalume							
OPTIONAL FOR HEMMED CONDITIONS ONLY							
Perforated Strapping 	PART NUMBER	WEIGHT LBS.			1-5		OVER 5
	PFS-1	143			841.72		765.20

